

ENGINEERED TO PERFECTION®

ARGUS ADVANTA®

Argus Advanta Plus+ Commercial Radial Truck Tires



U.S. AutoForceSM

a U.S. Venture company



**FUEL
EFFICIENT**



**RETREADABLE
CASING**



**BUILT TO
PERFORM**



**INDUSTRY
LEADING
WARRANTY**

ARGUS **ADVANTA**®

Argus Advanta Plus+ Commercial Radial Truck Tires



***BUILT FOR TODAY'S FLEETS.
ENGINEERED FOR TOMORROW'S ROADS.***

ARGUS ADVANTA PLUS+ Radial Commercial Truck Tires are engineered with advanced technology and premium materials to deliver exceptional performance, mile after mile.



FUEL EFFICIENT

Low rolling resistance compounds help reduce fuel consumption.



RETREADABLE CASING

Built with durability in mind for multiple retread cycles.



FLEET PERFORMANCE

Engineered for stability, handling and long, uniform treadwear



INDUSTRY-LEADING WARRANTY

Backed by one of the most comprehensive warranties in the industry.

EXPERIENCE THE DIFFERENCE®

FEATURES AND BENEFITS:

ARGUS ADVANTA PLUS+ SERIES

The ARGUS ADVANTA PLUS+ product line offers a comprehensive range of tire solutions designed to meet the demands of nearly every commercial trucking application. Whether your fleet operates on long interstate routes, regional delivery networks, urban streets, construction sites, or in changing weather conditions, ARGUS ADVANTA PLUS+ has a tire engineered to deliver dependable performance, durability, and value.

ENGINEERED TO PERFECTION®

- **ARGUS ADVANTA PLUS+ CASINGS** utilize a cap base construction and are tested well beyond the regulatory requirements resulting in an enhanced warranty of 7 years and 3 retreads.
- **ARGUS ADVANTA PLUS+ TREAD COMPOUNDS** are formulated with the latest technological advances to ensure maximum performance and durability for every application.
- **ARGUS ADVANTA PLUS+ ADVANCEMENTS** in structural integrity of the tread surface result in less tread squirm, greater stability and long-lasting performance.
- **ARGUS ADVANTA PLUS+ TECHNOLOGY** utilizes a two compound filler in the bead contour which facilitates a more exact, concentric fitment in the mounting process. This promotes greater overall uniformity and eliminates vibration regardless of the application.
- **ARGUS ADVANTA PLUS+ MANUFACTURING PROCESS** requires that every tire be balanced and uniformity-tested prior to release facilitating a 100% replacement guarantee for defects down to 2/32nds. This promotes confidence in placing the Argus Advanta Plus+ Tire in any application.

INDUSTRY LEADING WARRANTY COVERAGE

Supporting the ARGUS ADVANTA PLUS+ series is a comprehensive warranty program designed to provide fleets and owner-operators with confidence long after the sale. ARGUS ADVANTA PLUS+ Tires are backed tire and casing warranty protection that reflects our commitment to quality, durability, and long-term value.

From our 100% Free Replacement Warranty to our 7-Year, 3-Retread Casing Warranty, U.S. Autoforce stands behind every tire with coverage designed to maximize tire life, protect your investment, and keep your operation moving. (See Warranty page for details). No matter the application—Line Haul, Regional, Urban, On/Off Highway, or All-Weather—Argus Advanta delivers the performance you need and the warranty support you can trust.



ARGUS ADVANTA PLUS+ ADVANTAGE:



PREMIUM MATERIALS

Quality compounds and construction for long tread life.



RETREADABLE CASING

Built for multiple retreads to lower cost per mile.



COST-EFFICIENT

Lower rolling resistance to reduce fuel costs.



LEADING WARRANTY

Backed by one of the most comprehensive warranties in the industry.

COMMERCIAL TRUCK TIRE AND AVAILABILITY CHART:

ADVANTA	AV5000S Plus+	AV2000S Plus+	AV3000S Plus+	AV3200T	AV9500D Plus+	AV9000D Plus+	AV9200D Plus+
PAGE	7	7	8	8	9	9	10
SLOWER TIRE WEAR RATE  LONG HAUL SERVICE REGIONAL HAUL SERVICE							
LINE HAUL							
REGIONAL							
METRO							
ON/OFF HIGHWAY							
SEVERE SERVICE							
TIRE SIZE							
ST225/75R15				F - 10			
ST235/80R16				G - 10			
ST235/85R16				G - 10			
11R22.5	G/H - 18		G/H - 11		G/H - 30	G/H - 28	H - 28
11R24.5	G/H - 18		G/H - 11		G/H - 30	G/H - 28	H - 28
215/75R17.5		H - 16					
235/75R17.5		H - 16					
245/70R17.5		J - 16					
225/70R19.5		F/G - 16					
245/70R19.5		H - 16					
265/70R19.5		J - 18					
255/70R22.5		H - 15					
275/70R22.5		H - 18					
295/75R22.5	G - 18		G - 11		G - 30	G - 28	
315/80R22.5		L - 19					
425/65R22.5							
285/75R24.5	G - 18		G - 11			G - 28	

AV7000L Plus+	AV750DT Plus+	AV758AW Plus+	AV9800M Plus+	AV8000M Plus+	AV8600M Plus+	X COMP M/T	AV880HD Plus+
10	11	11	12	12	13	13	14

FASTER TIRE WEAR RATE



ON/OFF HIGHWAY SERVICE

SEVERE SERVICE

G/H - 25				H - 22	H - 19		H - 30
G/H - 25				H - 22	H - 20		H - 30
	G - 19	H - 18				G - 20	
	H - 19					H - 20	
					H - 18		
					L - 22		
			L - 23				

ENGINEERED TO PERFECTION®

Argus Advanta Plus+ tires are built with advanced engineering and premium materials to deliver enhanced performance, long tread life and total cost savings for your fleet.



UNIFORM WEAR

Optimized footprint and tread design deliver even wear and maximum mileage.



RETREAD CAPABILITY

Rugged casing design supports multiple retreads, lowering you cost per mile.



SUPERIOR HEAT DISSIPATION

Advanced casing construction promotes cooler running for longer tire life.



FACTORY BALANCED

Every tire is factory balanced and tested for free radial runout to ensure a smooth, comfortable ride.

ARGUS ADVANTA PLUS+ LINE

PAGE 7:

AV5000S PLUS+ All-Position / Steer

AV2000S PLUS+ All-Position / Steer

PAGE 8:

AV3000T PLUS+ Shallow Tread Trailer

AV3200T All-Steel ST Trailer

PAGE 9:

AV9500D PLUS+ Premium Closed Shoulder

AV9000D PLUS+ Closed Shoulder Drive

PAGE 10:

AV9200D PLUS+ Premium Open Shoulder Drive

AV7000L PLUS+ Open Shoulder Drive

PAGE 11:

AV750DT PLUS+ Regional / Urban Drive

AV758AW PLUS+ All-Weather Regional/Urban Drive

PAGE 12:

AV9800M PLUS+ Premium Wide Base MS Steer

AV8000M PLUS+ Premium MS All Position

PAGE 13:

AV8600M PLUS+ Mixed Service All Position

X COMP M/T On / Off Road Drive

PAGE 14:

AV880HD PLUS+ Severe Service Drive



AV5000S

PLUS+



ALL POSITION / STEER

- Designed for steer axles and all-position usage with sidewall grooves to improve resistance to irregular wear
- Advanced casing construction delivers the strength and reliability required for demanding commercial applications
- Wider tread for superior tread life, greater traction, and improved retreadability

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093461225	11R22.5/14	144/142	M	41.5	11.0	18	6175/5840
1093461226	11R22.5/16	146/143	M	41.5	11.0	18	6610/6005
1093461245	11R24.5/14	146/143	L	43.5	11.0	18	6610/6005
1093461246	11R24.5/16	149/146	L	43.5	11.0	18	7160/6610
1093468455	285/75R24.5/14	144/141	L	41.3	11.1	18	6175/5675
1093469225	295/75R22.5/14	144/141	L	39.9	11.7	18	6175/5675



AV2000S

PLUS+



ALL POSITION / STEER

- All-Position tire for regional and metro applications
- 5-rib tread design and tread siping features resist irregular tread wear
- Optimized shoulder profile and shoulder wall grooves help deliver excellent resistance to uneven rib wear

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093451175	215/75R17.5/16	135/133	L	30.2	8.4	16	4805/3415
1093452192	225/70R19.5/12	125/123	N	31.9	8.9	16	3640/3750
1093452193	225/70R19.5/14	128/126	N	31.9	8.9	16	3970/5675
1093453175	235/75R17.5/16	143/141	L	31.4	9.2	16	6005/5675
1093454177	245/70R17.5/18	143/141	L	31.1	9.8	16	6005/4540
1093454195	245/70R19.5/16	135/133	N	33.0	9.8	16	4805/5070
1093455226	255/70R22.5/16	140/137	M	36.6	10.0	15	5510/5675
1093456197	265/70R19.5/18	143/141	J	34.1	10.3	18	6005/6395
1093457727	275/70R22.5/18	148/145	M	37.7	10.9	18	6940/8270
1093453121	315/80R22.5/20	161/154	L	42.4	12.3	19	10200/3415



AV3000T PLUS+



SHALLOW TREAD TRAILER

- Shallow Tread Highway Tire designed to reduce irregular wear in trailer position
- Optimized casing construction promotes even footprint pressure and long, predictable treadwear
- New tread design distributes load evenly across the footprint for smooth, uniform wear and increased tread life

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093471225	11R22.5/14	144/142	M	41.5	11.0	11	6175/5840
1093471226	11R22.5/16	146/143	M	41.5	11.0	11	6610/6005
1093471245	11R24.5/14	146/143	L	43.5	11.0	11	6610/6005
1093471246	11R24.5/16	149/146	L	43.5	11.0	11	7160/6610
1093478455	285/75R24.5/14	144/141	L	41.3	11.1	11	6175/5675
1093479225	295/75R22.5/14	144/141	L	39.9	11.7	11	6175/5675



AV3200



ALL STEEL ST TRAILER

- All-steel construction for maximum strength and load capacity in trailer applications
- All Steel Construction for maximum strength and durability
- Solid shoulder to resist irregular wear and improve fuel efficiency

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1954102255	ST225/75R15/12	121/118	N	28.3	8.8	10	3200/3520
1954102866	ST235/80R16/14	129/125	N	30.8	9.3	10	4080/3750
1954103866	ST235/85R16/14	132/127	N	31.7	9.3	10	4400/3970



AV9500D PLUS+



PREMIUM CLOSED SHOULDER DRIVE

- Deep closed shoulder design provides traction and long-lasting tread life for demanding drive-axle applications
- Enhanced casing construction withstands the demands of drive-axle service while supporting long-term durability
- Large lugs distribute load evenly across the footprint for smooth, uniform wear and increased tread life

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093541225	11R22.5/14	144/142	M	41.9	11.0	30	6175/5840
1093541226	11R22.5/16	146/143	M	41.9	11.0	30	6610/6005
1093541245	11R24.5/14	146/143	L	43.9	11.0	30	6610/6610
1093541246	11R24.5/16	149/146	L	43.9	11.0	30	7160/5675
1093549225	295/75R22.5/14	144/141	L	40.4	11.7	30	6175/6005



AV9000D PLUS+



CLOSED SHOULDER DRIVE

- Aggressive closed shoulder design with zig-zag grooves create additional biting edges for improved traction and grip
- Next-generation casing design built to maximize tire performance throughout multiple life cycles
- A wider tread face distributes load evenly across the contact patch, promoting long, even wear and improved mileage

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093501225	11R22.5/14	144/142	M	41.9	11.0	28	6175/6005
1093501226	11R22.5/16	146/143	M	41.9	11.0	28	6610/6005
1093501245	11R24.5/14	146/143	L	43.9	11.0	28	6610/6610
1093501246	11R24.5/16	149/146	L	43.9	11.0	28	7160/5675
1093508455	285/75R24.5/14	144/141	L	41.8	11.1	28	6175/6175
1093509225	295/75R22.5/14	144/141	L	40.4	11.7	28	6175/6005



AV9200D PLUS+



PREMIUM OPEN SHOULDER DRIVE

- Open-shoulder drive tread pattern maximizes traction and promotes rapid water evacuation for superior traction
- Wide grooves enhance water evacuation and self-cleaning performance to maintain traction in challenging conditions
- Shoulder lugs provide better performance against wandering and help reduce tread temperature

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093531226	11R22.5/16	146/143	M	41.9	11.0	28	6610/6005
1093531246	11R24.5/16	149/146	L	43.9	11.0	28	7160/5840



AV7000L PLUS+



OPEN SHOULDER DRIVE

- Open shoulder design with aggressive blocks and multiple biting edges provide superior traction and grip
- Advanced casing and updated tread design engineered for improved strength and durability
- Integrated tie bars improve stability and reduce irregular wear

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093491225	11R22.5/14	144/142	M	41.9	11.0	25	6175/5840
1093491226	11R22.5/16	146/143	M	41.9	11.0	25	6610/6005
1093491245	11R24.5/14	146/143	L	43.9	11.0	25	6610/6005
1093491246	11R24.5/16	149/146	L	43.9	11.0	25	7160/6610



AV750DT PLUS+



REGIONAL / URBAN DRIVE

- Open-shoulder drive tread pattern for excellent traction and long treadlife
- Staggered tread block design distributes forces evenly to help resist irregular wear for longer life
- Strategically designed tread blocks with multiple biting edges provide outstanding traction and enhanced grip

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093482194	225/70R19.5/14	128/126	N	32.2	8.9	19	3970/4540
1093484195	245/70R19.5/16	135/133	N	33.3	9.8	19	4805/3750



AV758AW PLUS+



ALL-WEATHER REGIONAL / URBAN DRIVE

- Open shoulder tread pattern cleans out well in snow and mud conditions for excellent all weather performance
- Extensive sipes in tread pattern for exceptional ice and snow traction
- 3-Peak mountain snowflake certified with ability to accept TSMI #15 winter studs for use in extreme winter conditions

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093562196	225/70R19.5/16	130/128	N	32.2	8.9	18	4190/3750



AV9800M

PLUS+



PREMIUM WIDE BASE MIXED SERVICE STEER

- Wide tread and application specific tread compound resist tread chipping in high-scurf on-off road applications
- Extra-deep self cleaning tread provides outstanding traction and extended service miles for performance in demanding on-off highway applications
- Solid shoulder combined with block design delivers excellent traction and mileage both on and off the highway

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093554229	425/65R22.5/20	165	K	44.3	16.6	23	11400



AV8000M

PLUS+



PREMIUM MIXED SERVICE ALL POSITION

- Enhanced casing construction to withstand the demands of on-off road applications supporting long-term durability
- Application specific tread compounds resist tread chipping in high-scurf applications
- Stone defense features in the base of the tread groove promote casing integrity

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093511226	11R22.5/16	146/143	M	41.7	11.0	22	6610/6005
1093511246	11R24.5/16	149/146	L	43.7	11.0	22	7160/6610



AV8600M PLUS+



MIXED SERVICE ALL POSITION

- All-position tread pattern designed for multiple on/off highway applications
- Application specific tread compounds resist tread chipping in high-scurf on and off-road applications
- Outside shoulder grooves with zigzag center grooves provide added traction in mud and soft soil

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093521226	11R22.5/16	146/143	N	41.7	11.0	19	6610/6005
1093521246	11R24.5/16	149/146	N	43.7	11.0	20	7160/6610
1093525226	255/70R22.5/16	140/137	N	36.9	10.0	18	5510/5070
1093523120	315/80R22.5/20	161/154	K	42.6	12.3	22	10200/8270



X COMP M/T



SEVERE SERVICE

- Aggressive is an understatement. The Advanta X Comp M/T is truly a beast!
- Aggressive self-cleaning tread pattern and ice stud ready #15
- Patent protected D808,895S

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1953462194	225/70R19.5/14	128/126	N	32.2	8.9	20	3970/4540
1953464195	245/70R19.5/16	135/133	N	33.3	9.8	20	4805/2910



AV880HD PLUS+



SEVERE SERVICE DRIVE

- Aggressive multi-lug design for traction in severe off-highway operations
- Extra deep 29/32nds tread for long life even in challenging off road applications
- Application-specific tread compound resists cutting and chipping promoting increased mileage and long service life

PRODUCT NUMBER	TIRE SIZE/PLY	LOAD INDEX (S/D)	SPEED SYMBOL	OUTSIDE DIAMETER (IN)	SECTION WIDTH (IN)	TREAD DEPTH (32nds)	LOAD CAPACITY LBS (S/D)
1093571227	11R22.5/16	148/145	M	41.9	11.0	29	6940/6394
1093571246	11R24.5/16	149/146	L	43.9	11.0	29	7160/6610



ADVANTA COMMERCIAL TRUCK TIRE WARRANTY:

100% FREE REPLACEMENT WARRANTY

American Pacific Industries, Inc. (API) hereby warrants every new ADVANTA PLUS+ Radial Commercial Truck Tire for workmanship and material related conditions for the life of the original tread of a new tire less 2/32". The life of the original usable tread ends when the tire tread has worn to 2/32" remaining as measured in the fastest wearing groove, at which point the tire is considered to be fully worn out. API will refund the cost of a replacement ADVANTA PLUS+ Commercial Truck tire excluding FET. All Exclusions listed below void this 100% Free Replacement Warranty. Conditions and coverage are subject to change at any time and without notice.

- A) The ADVANTA PLUS+ Commercial Truck tire must be replaced with a comparable new ADVANTA PLUS+ Commercial Truck Commercial Truck tire by an authorized Gladiator dealer. Copy of the invoice may be required.
- B) Submission of claims covered by this warranty constitutes adherence to the terms of this warranty as detailed herein.
- C) Cost of mounting and balancing will be refunded up to a maximum of \$16.00 per tire. Written proof of these costs will be required.
- D) 100% free replacement applies to new first quality tires only. Blemished tires, retreads and road hazard tires are specifically excluded.
- E) Adjustments for ride complaints, out of balance or out of round tires are excluded from this warranty if they are worn past 2/32" from the original usable tread of the new tire as measured in the fastest wearing groove.

ROAD HAZARD WARRANTY PROGRAM

This road hazard warranty applies to the purchase of new ADVANTA PLUS+ Commercial Truck tires distributed by authorized USAF dealers as of 07/15/2026. Warranty consideration under the ADVANTA PLUS+ road hazard protection plan will apply according to the following criteria:

- A) ADVANTA PLUS+ Commercial Truck tires qualifying must be purchased by an authorized ADVANTA PLUS+ dealer as of 1/1/2025
- B) Physical invoice must be presented showing ADVANTA PLUS+ Commercial Truck Tires were purchased as of 1/1/2025 to qualify for road hazard protection plan
- C) Warranty consideration is valid for the first 25% of usable original tread depth or one year from the original proof of purchase (as of 1/1/2025) whichever occurs first. Proof of Purchase must be submitted for warranty consideration.
- D) ADVANTA PLUS+ Commercial Truck tires that become unserviceable from a non-repairable damage resulting from puncture, snag, cut, bruise or impact break because of road hazard conditions qualify under the limited road hazard warranty program.
- E) Standard Exclusions and warranty terms/conditions apply after the first 25% of original tread wear or one year from purchase whichever occurs first.

CASING WARRANTY

- A) Casings of ADVANTA PLUS+ Commercial Truck Tires are warranted for workmanship and material related conditions through the life of the third retread or 7 years from date of manufacturer, whichever comes first. The life of the third retread is considered to end when the remaining tread on the third retread reaches a buffing stage of 2/32" or less as measured in the fastest wearing groove.
- B) If an examination shows that a casing of a ADVANTA PLUS+ Commercial Truck Tire was removed from service due to workmanship or a material related condition, API will give a credit toward the purchase of a new ADVANTA PLUS+ Commercial Truck Tire as below:

The casing warranty chart to the right is only valid only for first seven (7) years after date of manufacture of original tire.

Eligible Sizes	1st to 2nd Retread	3rd Retread
17.5"	\$30.00	\$15.00
19.5"	\$30.00	\$15.00
255/70R22.5, 275/70R22.5	\$65.00	\$35.00
11R22.5, 295/75R22.5	\$90.00	\$45.00
315/80R22.5	\$85.00	\$40.00
11R24.5, 285/75R24.5	\$90.00	\$45.00
385/65R22.5	\$85.00	\$40.00

EXCLUSIONS

- A) All ADVANTA PLUS+ Commercial Truck Tire warranties are limited to the original purchaser and the original vehicle on which they are mounted for a period of seven (7) years from the date of manufacture and are not assignable to subsequent purchasers or vehicles.
- B) The ADVANTA PLUS+ Commercial Truck Tire warranties are applicable only in the United States and Canada and any tire used or equipped on a vehicle registered or operated outside the United States and Canada are not covered by this warranty.
- C) The following is not covered by the ADVANTA PLUS+ Commercial Truck Tire Warranty:
 - 1) Tire branded or marked "Non-Adjustable" (N/A) or "Blemished" (Blem), or previously adjusted.
 - 2) Failure, damage or irregular wear due to:
 - a) Road hazards (i.e. puncture, cut, snag, impact breaks, etc.);
 - b) Fire, accident or vandalism;
 - c) Mechanical condition of vehicle, including improper alignment, improper inflation, wheel imbalance, faulty shocks or brakes;
 - d) Overloading the tire beyond maximum load capacity stated on the sidewall;
 - e) Misapplication of tire, use of improper inner tube/ flap;
 - f) Alteration of the tire or addition of foreign material.
 - g) Transfer from one vehicle to another and tire failure due to faulty retread process or materials.
 - 3) Cost of mounting and balancing service except as noted above.
 - 4) Loss of time or use, inconvenience, or any incidental damages to include cost of towing or transportation, related property damage or consequential damages of any type or nature except as prohibited by law.
 - 5) Tires older than seven (7) years from the date of manufacture as determined by the DOT/Serial number.
 - 6) Tires with an ST designation that are deemed out-of-round or out-of-balance
 - 7) ADVANTA X Comp MT has a 5 year 100% Free replacement warranty for workmanship and material conditions, and a 2 casing warranty.
 - 8) ADVANTA 3200T has a 3 year warranty for workmanship and materials with replacement no charge in first 2/32 treadwear, and prorated thereafter. Casing warranty does not apply.

OWNER'S OBLIGATIONS

In order to be eligible for ADVANTA PLUS+ Commercial Truck Tire Warranty service, the owner must:

- A) Present the tire to an authorized dealer;
- B) Present proof of purchase to the satisfaction of the dealer;
- C) Complete and sign an API Warranty Claim Form, which is available at any authorized dealer; and
- D) Pay the amount due on a new tire, less the amount of credit, including taxes, mounting and balancing charges or cost of other services ordered.

DISCLAIMER

This warranty, or any warranty stated or referred to herein, is exclusive and in lieu of any other warranty regarding the quality of ADVANTA PLUS+ Commercial Truck Tires, whether expressed or implied, and remedies for breach thereof shall be limited to those specifically provided herein.



24/7 Online Order
usautoforce.com



Phone
800.490.4901



Fax
800.688.3099