

PASSENGER, CROSSOVER & LT/SUV | WINTER | TOURING

VIKINGCONTACT 7









15" - 22"

35 - 70

Directional

TREADWEAR	TRACTION	TEMPERATURE	SPEED		
			T & H		

Benefits

- 1 size available with High Load (HL)
- Superb grip
- Powerful traction and braking
- Confident steering response



*POLARPLUS+

- Keeps tread flexible in cold temperatures
- Grips better in winter conditions
- Stops shorter on snow and ice-covered roads



3-Peak Mountain Snowflake

Meets the severe snow service requirements of the U.S. Tire Manufacturer's Association (USTMA) and the Tire and Rubber Association of Canada (TRAC).



EV Compatible

All Continental product lines are designed with Electric Vehicles (EVs) in mind and are optimized for the needs of all types of vehicles.

Sample Vehicle Fitments Include:

- Acura
- Audi
- BMW
- BivivvBuick
- Cadillac
- Chevrolet
- Ford
- Honda
- Hyundai

- Jeep
- Lexus
- Mazda
- Mercedes-Benz
- MINI
- Nissan
- SubaruToyota
- Volvo



The purchase of replacement Continental tires provides an extra measure of confidence with the Total Confidence Plan.

Restrictions and limitations apply. See Total Confidence Plan for complete coverage details at https://continentaltire.com/warranty.



Road Hazard Coverage¹









Emergency Trip Interruption Coverage



Flat Tire Roadside Assistanc

¹ Coverage is within the first 12 months from the date of purchase or the first 2/32^{nds} treadwear, whichever comes first whichever comes first. Repairable conditions are not eligible for replacement.

VIKING CONTACT 7 | Product Data

PASSENGER/CROSSOVER/LIGHT TRUCK/SUV TIRES | WINTER | TOURING

RIM DIA (IN)	ASPECT RATIO (SERIES)	TIRE SIZE	LOAD/ SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	RIM PROTECTION	TIRE DIA (IN)	TIRE WT (LBS)	MAX PSI	OVERALL SECTION WIDTH (MEASURING RIM) (IN)	APPROVED RIM WIDTHS (IN)	MAX LOAD (LBS)	TREAD DEPTH (32NDS)	REVS PER MILE
	55	175/55 R 15	77 T	SL	BSW	03449770000	No	22.6	14.8	44.0	7.2 (5.5)	(5.0 - 6.0)	908	10	920
	55	185/55 R 15	86 T	XL	BSW	03449800000	No	23.0	15.8	51.0	7.6 (6.0)	(5.0 - 6.5)	1168	10	903
	55	195/55 R 15	89 T	XL	BSW	03449840000	No	23.4	17.7	51.0	7.9 (6.0)	(5.5 - 7.0)	1279	10	886
	60	185/60 R 15	88 T	XL	BSW	03453330000	No	23.7	16.8	51.0	7.4 (5.5)	(5.0 - 6.5)	1235	10	875
	60	195/60 R 15	92 T	XL	BSW	03449870000	No	24.2	19.1	51.0	7.9 (6.0)	(5.5 - 7.0)	1389	10	858
15	65	145/65 R 15	72 T	SL	BSW	03449730000	No	22.4	13.1	44.0	5.9 (4.5)	(4.0 - 5.0)	783	10	927
	65	175/65 R 15	88 T	XL	BSW	03453710000	No	24.0	16.2	51.0	7.0 (5.0)	(5.0 - 6.0)	1235	10	867
	65	185/65 R 15	92 T	XL	BSW	03452350000	No	24.5	17.8	51.0	7.4 (5.5)	(5.0 - 6.5)	1389	10	849
	65	195/65 R 15	95 T	XL	BSW	03454080000	No	25.0	19.0	51.0	7.9 (6.0)	(5.5 - 7.0)	1521	11	832
	65	205/65 R 15	99 T	XL	BSW	03449990000	No	25.5	21.5	51.0	8.2 (6.0)	(5.5 - 7.5)	1709	10	815
	70	205/70 R 15	100 T	XL	BSW	03452370000	No	26.3	24.6	51.0	8.2 (6.0)	(5.0 - 7.0)	1764	10	790
	50	195/50 R 16	88 T	XL	BSW	03449830000	No	23.7	17.6	51.0	7.9 (6.0)	(5.5 - 7.0)	1235	10	877
	55	195/55 R 16	91 T	XL	BSW	03449850000	No	24.4	19.5	51.0	7.9 (6.0)	(5.5 - 7.0)	1356	10	850
	55	205/55 R 16	94 T	XL	BSW	03452380000	No	24.9	20.7	51.0	8.4 (6.5)	(5.5 - 7.5)	1477	10	835
	55	215/55 R 16	97 T	XL	BSW	03450050000	No	25.3	23.2	51.0	8.9 (7.0)	(6.0 - 7.5)	1609	10	821
	55	225/55 R 16	99 T	XL	BSW	03450360000	No	25.7	24.2	51.0	9.2 (7.0)	(6.0 - 8.0)	1709	10	807
	60	195/60 R 16	93 T	XL	BSW	03449880000	No	25.2	19.9	51.0	7.9 (6.0)	(5.5 - 7.0)	1433	10	824
	60	205/60 R 16	96 T	XL	BSW	03452390000	No	25.7	21.6	51.0	8.2 (6.0)	(5.5 - 7.5)	1565	10	809
16	60	215/60 R 16	99 T	XL	BSW	03452400000	No	26.2	22.8	51.0	8.7 (6.5)	(6.0 - 7.5)	1709	10	794
10	60	225/60 R 16	102 T	XL	BSW	03452410000	No	26.6	26.1	51.0	9.0 (6.5)	(6.0 - 8.0)	1874	10	780
	65	205/65 R 16	99 H	XL	BSW	03452750000	No	26.5	21.9	51.0	8.2 (6.0)	(5.5 - 7.5)	1709	10	784
	65	215/65 R 16	102 T	XL	BSW	04400260000	Yes	27.0	25.3	51.0	8.7 (6.5)	(6.0 - 7.5)	1874	10	769
	65	225/65 R 16	104 T	XL	BSW	03452770000	Yes	27.5	28.0	51.0	9.0 (6.5)	(6.0 - 8.0)	1984	10	755
	70	215/70 R 16	100 T	SL	BSW	03450190000	Yes	27.9	28.4	44.0	8.7 (6.5)	(5.5 - 7.0)	1764	10	746
	70	225/70 R 16	107 T	XL	BSW	04400490000	Yes	28.4	28.7	51.0	9.0 (6.5)	(6.0 - 7.5)	2149	10	731
	70	235/70 R 16	109 T	XL	BSW	04400500000	Yes	29.0	30.9	51.0	9.4 (7.0)	(6.0 - 8.0)	2271	10	718
	70	245/70 R 16	111 T	XL	BSW	03453360000	Yes	29.5	32.9	51.0	9.8 (7.0)	(6.5 - 8.0)	2403	10	704
	45	205/45 R 17	88 T	XL	BSW	03449900000	Yes	24.3	19.2	51.0	8.1 (7.0)	(6.5 - 7.5)	1235	10	856
	45	215/45 R 17	91 T	XL	BSW	03450010000	Yes	24.6	19.9	51.0	8.4 (7.0)	(7.0 - 8.0)	1356	10	844
	45	225/45 R 17	94 T	XL	BSW	03452450000	Yes	25.0	21.9	51.0	8.9 (7.5)	(7.0 - 8.5)	1477	10	832
	45	235/45 R 17	97 T	XL	BSW	03450730000	Yes	25.3	24.2	51.0	9.3 (8.0)	(7.5 - 9.0)	1609	10	820
	45	245/45 R 17	99 T	XL	BSW	03450960000	Yes	25.7	26.4	51.0	9.6 (8.0)	(7.5 - 9.0)	1709	10	809
	50	215/50 R 17	95 T	XL	BSW	03452430000	Yes	25.5	23.8	51.0	8.9 (7.0)	(6.0 - 7.5)	1521	10	816
	50	225/50 R 17	98 T	XL	BSW	03452460000	Yes	25.9	24.3	51.0	9.2 (7.0)	(6.0 - 8.0)	1653	10	803
17	50	235/50 R 17	100 T	XL	BSW	03450770000	Yes	26.3	25.9	51.0	9.6 (7.5)	(6.5 - 8.5)	1764	10	791
	55	205/55 R 17	95 T	XL	BSW	03449950000	No	25.9	21.9	51.0	8.4 (6.5)	(5.5 - 7.5)	1521	10	803
	55	215/55 R 17	98 T	XL	BSW	03452440000	No	26.3	21.6	51.0	8.9 (7.0)	(6.0 - 7.5)	1653	10	790
	55	225/55 R 17	101 T	XL	BSW	03452470000	No	26.7	25.1	51.0	9.2 (7.0)	(6.0 - 8.0)	1819	10	777
	55	235/55 R 17	103 T	XL	BSW	03452480000	No	27.2	28.4	51.0	9.6 (7.5)	(6.5 - 8.5)	1929	10	764
	60	215/60 R 17	100 T	XL	BSW	04400270000	Yes	27.2	25.9	51.0	8.7 (6.5)	(6.0 - 7.5)	1764	10	765
	60	225/60 R 17	103 T	XL	BSW	04400290000	Yes	27.6	27.1	51.0	9.0 (6.5)	(6.0 - 8.0)	1929	10	752
	60	225/60 R 17	99 T	SL	BSW	03450660000°	Yes	27.6	35.8	44.0	9.0 (6.5)	(6.0 - 8.0)	1709	10	752
	_														





VIKINGCONTACT 7 | Product Data

PASSENGER/CROSSOVER/LIGHT TRUCK/SUV TIRES | WINTER | TOURING

RIM DIA (IN)	ASPECT RATIO (SERIES)	TIRE SIZE	LOAD/ SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	RIM PROTECTION	TIRE DIA (IN)	TIRE WT (LBS)	MAX PSI	OVERALL SECTION WIDTH (MEASURING RIM) (IN)	APPROVED RIM WIDTHS (IN)	MAX LOAD (LBS)	TREAD DEPTH (32NDS)	REVS PER MILE
	60	235/60 R 17	106 T	XL	BSW	04400310000	Yes	28.1	29.8	51.0	9.4 (7.0)	(6.5 - 8.5)	2094	10	739
	65	215/65 R 17	103 T	XL	BSW	04400280000	Yes	28.0	25.9	51.0	8.7 (6.5)	(6.0 - 7.5)	1929	10	742
	65	225/65 R 17	106 T	XL	BSW	04400300000	Yes	28.5	29.7	51.0	9.0 (6.5)	(6.0 - 8.0)	2094	10	729
	65	235/65 R 17	108 T	XL	BSW	04400320000	Yes	29.0	31.8	51.0	9.4 (7.0)	(6.5 - 8.5)	2205	10	716
17	65	245/65 R 17	111 T	XL	BSW	04400330000	Yes	29.5	35.0	51.0	9.8 (7.0)	(7.0 - 8.5)	2403	11	703
	65	265/65 R 17	116 T	XL	BSW	04400340000	Yes	30.6	37.1	51.0	10.7 (8.0)	(7.5 - 9.5)	2756	11	680
	70	235/70 R 17	111 T	XL	BSW	03452340000	Yes	30.0	34.8	51.0	9.4 (7.0)	(6.0 - 8.0)	2403	10	694
	70	245/70 R 17	114 T	XL	BSW	04400510000	Yes	30.5	33.5	51.0	9.8 (7.0)	(6.5 - 8.0)	2601	10	681
	70	265/70 R 17	116 T	XL	BSW	04400520000	Yes	31.6	38.3	51.0	10.7 (8.0)	(7.0 - 9.0)	2756	10	657
	40	225/40 R 18	92 T	XL	BSW	03452860000	Yes	25.1	23.0	51.0	9.1 (8.0)	(7.5 - 9.0)	1389	10	828
	40	235/40 R 18	95 T	XL	BSW	03450710000	Yes	25.4	23.7	51.0	9.5 (8.5)	(8.0 - 9.5)	1521	10	818
	40	245/40 R 18	97 T	XL	BSW	03453350000	Yes	25.7	24.9	51.0	9.8 (8.5)	(8.0 - 9.5)	1609	10	808
	45	225/45 R 18	95 T	XL	BSW	03452500000	Yes	26.0	24.4	51.0	8.9 (7.5)	(7.0 - 8.5)	1521	10	800
	45	225/45 R 18	95 T	XL	BSW	03450260000*	Yes	26.0	29.4	51.0	8.9 (7.5)	(7.0 - 8.5)	1521	10	800
	45	235/45 R 18	98 T	XL	BSW	03452540000	Yes	26.3	24.9	51.0	9.3 (8.0)	(7.5 - 9.0)	1653	10	789
	45	245/45 R 18	100 T	XL	BSW	03452570000	Yes	26.7	27.1	51.0	9.6 (8.0)	(7.5 - 9.0)	1764	10	779
	45	255/45 R 18	103 T	XL	BSW	03451350000	Yes	27.0	30.5	51.0	10.0 (8.5)	(8.0 - 9.5)	1929	10	768
	50	215/50 R 18	96 T	XL	BSW	03450030000	Yes	26.5	24.2	51.0	8.9 (7.0)	(6.0 - 7.5)	1565	10	785
18	50	225/50 R 18	99 T	XL	BSW	03452510000	Yes	26.9	24.3	51.0	9.2 (7.0)	(6.0 - 8.0)	1709	10	773
	50	235/50 R 18	101 T	XL	BSW	03452550000	Yes	27.3	27.9	51.0	9.6 (7.5)	(6.5 - 8.5)	1819	10	762
	55	225/55 R 18	102 T	XL	BSW	03452520000	Yes	27.7	26.0	51.0	9.2 (7.0)	(6.0 - 8.0)	1874	10	749
	60	225/60 R 18	104 T	XL	BSW	03452530000	Yes	28.6	29.5	51.0	9.0 (6.5)	(6.0 - 8.0)	1984	10	726
	60	235/60 R 18	107 T	XL	BSW	04400350000	Yes	29.1	33.7	51.0	9.4 (7.0)	(6.5 - 8.5)	2149	10	714
	60	245/60 R 18	109 H	XL	BSW	03452620000	Yes	29.6	32.6	51.0	9.8 (7.0)	(7.0 - 8.5)	2271	11	702
	60	255/60 R 18	112 T	XL	BSW	03451430000	Yes	30.0	37.2	51.0	10.2 (7.5)	(7.0 - 9.0)	2469	11	691
	60	265/60 R 18	114 T	XL	BSW	04400370000	Yes	30.5	36.6	51.0	10.7 (8.0)	(7.5 - 9.5)	2601	11	681
	65	235/65 R 18	110 T	XL	BSW	04400360000	Yes	30.0	33.7	51.0	9.4 (7.0)	(6.5 - 8.5)	2337	10	692
	65	275/65 R 18	116 T	XL	BSW	04400530000	Yes	32.1	42.0	51.0	11.0 (8.0)	(7.5 - 9.5)	2756	11	648
	35	235/35 R 19	91 T	XL	BSW	03453850000	Yes	25.5	23.8	51.0	9.5 (8.5)	(8.0 - 9.5)	1356	10	815
	35	255/35 R 19	96 T	XL	BSW	03451290000	Yes	26.0	26.1	51.0	10.2 (9.0)	(8.5 - 10.0)	1565	10	798
	40	235/40 R 19	96 T	XL	BSW	03450720000	Yes	26.4	27.0	51.0	9.5 (8.5)	(8.0 - 9.5)	1565	10	787
	40	245/40 R 19	98 T	XL	BSW	03450940000	Yes	26.7	25.7	51.0	9.8 (8.5)	(8.0 - 9.5)	1653	10	778
	40	255/40 R 19	100 T	XL	BSW	03451320000	Yes	27.0	27.4	51.0	10.2 (9.0)	(8.5 - 10.0)	1764	10	769
19	45	225/45 R 19	96 T	XL	BSW	03450300000	Yes	27.0	24.6	51.0	8.9 (7.5)	(7.0 - 8.5)	1565	10	770
	45	245/45 R 19	102 T	XL	BSW	03452580000	Yes	27.7	27.7	51.0	9.6 (8.0)	(7.5 - 9.0)	1874	10	750
	45	255/45 R 19	104 T	XL	BSW	03451360000	Yes	28.0	29.3	51.0	10.0 (8.5)	(8.0 - 9.5)	1984	10	741
	50	255/50 R 19	107 T	XL	BSW	04400390000	Yes	29.0	33.9	51.0	10.4 (8.0)	(7.0 - 9.0)	2149	10	715
	55	235/55 R 19	105 T	XL	BSW	04400380000	Yes	29.2	30.9	51.0	9.6 (7.5)	(6.5 - 8.5)	2039	10	712
	55	265/55 R 19	113 T	XL	BSW	03451470000	Yes	30.5	38.5	51.0	10.9 (8.5)	(7.5 - 9.5)	2535	10	682
	70	155/70 R 19	88 T	XL	BSW	03449750000	No	27.5	18.8	51.0	6.2 (4.5)	(4.0 - 5.0)	1235	10	754
	35	255/35 R 20	97 T	XL	BSW	03451300000	Yes	27.0	27.0	51.0	10.2 (9.0)	(8.5 - 10.0)	1609	10	769
	45	245/45 R 20	103 T	XL	BSW	03451230000	Yes	28.7	28.1	51.0	9.6 (8.0)	(7.5 - 9.0)	1929	10	724
-	45	255/45 R 20	105 T	XL	BSW	03451370000	Yes	29.0	32.4	51.0	10.0 (8.5)	(8.0 - 9.5)	2039	10	715
20	45	265/45 R 20	108 T	XL	BSW	03451440000	Yes	29.4	35.1	51.0	10.5 (9.0)	(8.5 - 10.0)	2205	10	707
	50	235/50 R 20	104 T	XL	BSW	03454050000	Yes	29.3	28.3	51.0	9.6 (7.5)	(6.5 - 8.5)	1984	10	710
	50	245/50 R 20	105 H	XL	BSW	03452790000	Yes	29.6	30.4	51.0	10.0 (7.5)	(7.0 - 8.5)	2039	10	701
	50	275/50 R 20	113 T	XL	BSW	03454020000	Yes	30.8	33.5	51.0	11.2 (8.5)	(7.5 - 9.5)	2535	11	674

 $\mathsf{BSW} = \mathsf{Black} \; \mathsf{Sidewall} \; \mid \; * = \mathsf{Self}\text{-}\mathsf{Supporting} \; \mathsf{Runflat}$

VIKING CONTACT 7 | Product Data

PASSENGER/CROSSOVER/LIGHT TRUCK/SUV TIRES | WINTER | TOURING

RII DI (IN	A RATIO	TIRE SIZE	LOAD/ SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	RIM PROTECTION	TIRE DIA (IN)	TIRE WT (LBS)	MAX PSI	OVERALL SECTION WIDTH (MEASURING RIM) (IN)	APPROVED RIM WIDTHS (IN)	MAX LOAD (LBS)	TREAD DEPTH (32NDS)	REVS PER MILE
	55	255/55 R 20	110 T	XL	BSW	03454010000	Yes	31.0	35.4	51.0	10.4 (8.0)	(7.0 - 9.0)	2337	11	669
20	55	275/55 R 20	117 T	SL	BSW	03454570000	Yes	31.9	33.6	51.0	11.2 (8.5)	(7.5 - 9.5)	2833	11	651
	60	235/60 R 20	108 T	XL	BSW	03454060000	Yes	31.1	33.0	51.0	9.4 (7.0)	(6.5 - 8.5)	2205	11	668
22	45	285/45 R 22	114 T	XL	BSW	03453730000	Yes	32.1	38.6	51.0	11.2 (9.5)	(9.0 - 10.5)	2601	10	647

BSW = Black Sidewall