

EAGLE RS-A®, RS-A2

A Quality Performance Tire for All-Season Traction in Dry, Wet and Snowy Conditions



FEATURES

1. Unique asymmetric tread design
2. Aggressive shoulder tread blocks and wide lateral grooves
3. Open circumferential grooves

BENEFITS

- Helps provide enhanced traction, superb cornering and a quiet ride
- Help enable confident handling in wet, dry or snowy conditions
- Push water away to help improve grip in wet conditions



All-Season



Dry Traction



Ultra Wet
Traction



Cornering
Stability



Steering
Responsiveness



Chosen as Original Equipment
by Global Vehicle Manufacturers



*For more complete information, go to Tire-HQ™ at www.tire-hq.com or contact your Goodyear representative.

All tires include Nationwide Warranty Service and Online Tire Registration. Nationwide Warranty Service Link: https://www.goodyear.com/en_US/support/tire-warranty.html

Online Tire Registration Link: https://www.goodyear.com/en_US/support/register-tires.html

EAGLE RS-A, RS-A2 SPECIFICATIONS

Size	Service Description	Load Range	Sidewall	Product Code	Material Number	Approved Rim Widths (Inches)	Measuring Rim Width (Inches)	Section Width (Inches)	Overall Diameter (Inches)	Max Load (Lbs)	Tread Depth (in 32nds)	Revs / Mile	UTQG	ORIGINAL EQUIPMENT FITMENT- 2024
Eagle RS-A														
195/60R15	88H	SL	VS	732401500	214321	5.5 - 7.0	6.0	7.9	24.2	1234	10	863	260 A A	
P205/55R16	89H	SL	VS	732170500	195751	5.5 - 7.5	6.5	8.4	24.9	1279	11	840	260 A A	HONDA CIVIC (2013 - 2015)
P205/55R16	89H	SL	VS	732674500	204489	5.5 - 7.5	6.5	8.4	24.9	1279	10	840	260 A A	SCION XB (2013 - 2015)
P215/45R17	87W	SL	VS	732682500	204491	7.0 - 8.0	7.0	8.4	24.7	1201	11	848	260 A A	
P215/55R17	93V	SL	VS	732262500	217743	6.0 - 7.5	7.0	8.9	26.3	1433	10	795	260 A A	NISSAN JUKE (2013 - 2017)
P275/60R17	110H	SL	VS	732372500	187327	7.5 - 9.5	8.0	11.0	30.0	2337	12	697	260 A A	
P225/45R18	91V	SL	VS	732646500	203939	7.0 - 8.5	7.5	8.9	25.9	1356	11	806	260 A A	FORD FUSION (2007 - 2012)
235/55R18	100V	SL	VS	732222500	230749	6.5 - 8.5	7.5	9.7	28.2	1764	10	742	260 A A	TOYOTA SIENNA (2013 - 2020)
P245/45R18	96V	SL	VS	732279438	200293	7.5 - 9.0	8.0	9.6	26.7	1565	10	784	260 A A	NISSAN MAXIMA (2013 - 2015)
255/45R19	100V	SL	VS	732016500	218968	8.0 - 9.5	8.5	10.0	28.1	1764	10	745	260 A A	FORD TAURUS (2013 - 2019)
P255/60R19	108H	SL	VS	732587500	199486	7.0 - 9.0	7.5	10.2	31.1	2205	11	673	260 A A	BUICK ENCLAVE (2013 - 2017)
245/45R20	99V	SL	VS	732603500	201292	7.5 - 9.0	8.0	9.6	28.7	1709	11	729	260 A A	
P245/50R20	102H	SL	VS	732899500	206589	7.0 - 8.5	7.5	10.0	29.7	1874	10	704	260 A A	TOYOTA VENZA (2013 - 2015)
255/45R20	101V	SL	BSL	732007741	218966	8.0 - 9.5	8.5	10.0	29.1	1819	11	719	260 A A	ACURA RDX (2019 - 2023)
P255/50R20	104V	SL	VS	732550500	196404	7.0 - 9.0	8.0	10.4	30.1	1984	10	695	260 A A	CHEVROLET TRAILBLAZER (2004 - 2009)
Eagle RS-A2														
P245/45R19	98V	SL	VS	107172659	244647	7.5 - 9.0	8.0	9.6	27.7	1653	10	755	440 A A	CADILLAC CTS (2010 - 2021)
*P245/45R19	98V	SL	VS	107172552	234967	7.5 - 9.0	8.0	9.6	27.7	1653	10	755	440 A A	
*P245/45R19	98V	SL	VS	107172660	244650	7.5 - 9.0	8.0	9.6	27.7	1653	10	755	440 A A	
245/45ZR20	99Y	SL	VS	107548343	218853	7.5 - 9.0	8.0	9.6	28.7	1709	10	729	440 A A	CHRYSLER 300 (2013 - 2023)

*Discontinued July 2023- February 2024

Do not attempt to mount 16" rim diameter tires on 16.5" rim diameter wheels; this may result in serious injury or death.

EAGLE RS-A® POLICE

A Quality, Pursuit-Ready Performance Tire for All-Season Traction



FEATURES

1. Unique asymmetric tread design
2. Aggressive shoulder tread blocks and wide lateral grooves
3. Open circumferential grooves
4. Pursuit-ready all-season tread compound

BENEFITS

- Helps provide enhanced traction, superb cornering and a quiet ride
- Help enable confident handling in wet, dry or snowy conditions
- Push water away to help improve grip in wet conditions
- Designed for durability and aggressive police handling



All-Season



Dry Traction



Ultra Wet Traction



Cornering Stability



Steering Responsiveness



Chosen as Original Equipment
by Global Vehicle Manufacturers



EAGLE RS-A POLICE

Size	Service Description	Load Range	Load Sidewall	Product Code	Material Number	Approved Rim Widths (Inches)	Measuring Rim Width (Inches)	Section Width (Inches)	Overall Diameter (Inches)	Max Load (Lbs)	Tread Depth (in 32nds)	Revs / Mile	UTQG	ORIGINAL EQUIPMENT FITMENT- 2024
Eagle RS-A Police														
P225/60R16	97V	SL	VS	732354148	175293	6.0 - 8.0	6.5	9.0	26.6	1609	11	785	340 A A	FORD POLICE CROWN VIC (2005 - 2005)
P225/60R16	97V	SL	VS	732354500	103103	6.0 - 8.0	6.5	9.0	26.6	1609	12	785	260 A A	FORD POLICE CROWN VIC (2005 - 2014)
P235/55R17	98W	SL	VS	732002500	136360	6.5 - 8.5	7.5	9.7	27.2	1653	11	769	260 A A	FORD POLICE RESPONDER (2005 - 2011)
P235/55R17	98W	SL	VS	732297500	218651	6.5 - 8.5	7.5	9.7	27.2	1653	11	769	260 A A	CHEVROLET IMPALA POLICE (2013 - 2017)
P265/60R17	108V	SL	VS	732523500	231944	7.5 - 9.5	8.0	10.7	29.5	2205	11	708	260 A A	CHEVROLET TAHOE POLICE (2017 - 2020)
P225/60R18	99W	SL	VS	732312500	218769	6.0 - 8.0	6.5	9.0	28.6	1709	11	730	260 A A	DODGE CHARGER PURSUIT (2016 - 2023)
P235/50R18	99W	XL	VS	732276500	218197	6.5 - 8.5	7.5	9.7	27.3	1709	11	766	260 A A	CHEVROLET CAPRICE POLICE (2013 - 2017)
245/55R18	103V	SL	VS	732026500	222703	7.0 - 8.5	7.5	10.0	28.6	1929	11	730	260 A A	DODGE CHARGER PURSUIT (2015 - 2023)

Do not attempt to mount 16" rim diameter tires on 16.5" rim diameter wheels; this may result in serious injury or death.

*For more complete information, go to Tire-HQ™ at www.tire-hq.com or contact your Goodyear representative.

All tires include Nationwide Warranty Service and Online Tire Registration. Nationwide Warranty Service Link: https://www.goodyear.com/en_US/support/tire-warranty.html
Online Tire Registration Link: https://www.goodyear.com/en_US/support/register-tires.html